ELSEVIER

Carbohydrate Research 298 (1997) XXI–XXIII

CARBOHYDRATE RESEARCH

Contents

iii Graphical Abstracts

Regular Papers

C.J. Cramer, D.G. Truhlar (Minneapolis, MN, USA) and A.D. French (New Orleans, LA, USA) 1 Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution

M. Martín-Pastor, J.F. Espinosa, J.L. Asensio and J. Jiménez-Barbero (Madrid, Spain) 15 A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α-lactoside and the C-analogue of lactose

T. Yazaki, M. Ohnishi, S. Rokushika (Kyoto, Japan) and G. Okada (Shizuoka, Japan) 51 Subsite structure of the β-glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates

K.L. Larsen, F. Mathiesen and W. Zimmermann (Aalborg, Denmark) 59 Separation and analysis of cyclodextrins by capillary zone electrophoresis

T. Mori, S. Fujita and Y. Okahata (Yokohama, Japan) 65 Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β-D-galactosidase

P.L. Barili, G. Catelani, F. D'Andrea, F. De Rensis and P. Falcini (Pisa, Italy) 75 Improved preparation of 2,3:5,6:3′,4′-tri-*O*-isopropylidenelactose dimethyl acetal and its 6′-*O*-(1-methoxy-1-methylethyl) derivative

E. Fanton, C. Fayet and J. Gelas (Aubière, France) 85 Long-chain acetals derived from sucrose as a new class of surfactants

M.A.E. Sallam (Alexandria, Egypt), E.I. Ibrahim (Ismailia, Egypt), K.A.A. El-Eter (Alexandria, Egypt) and J.M. Cassady (Columbus, OH, USA) 93 Synthesis and anomeric configuration of 2-(erythrofuranosyl)benzimidazole C-nucleoside analogues

A. Radha and R. Chandrasekaran (West Lafayette, IN, USA) 105 X-Ray and conformational analysis of arabinan

M. Hisamatsu, T. Mishima, K. Teranishi and T. Yamada (Tsu, Japan) 117 The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast

Notes

S.Y. Hassan, H.M. Faidallah, A.M. El-Massry and M.M. El-Sadek (Alexandria, Egypt) 123 Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran

S. Cottaz (Grenoble, France), P. Rollin (Orléans, France) and H. Driguez (Grenoble, France) 127 Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor

iii Graphical Abstracts

Regular Papers

N. Wang and G.R. Gray (Minneapolis, MN, USA) 131 Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride

G. Blond, D. Simatos (Dijon, France), M. Catté, C.G. Dussap and J.B. Gros (Aubière, France) 139 Modeling of the water–sucrose state diagram below 0 °C

M. Kluge (Leipzig, Germany), B. Schneider (Halle / S., Germany) and D. Sicker (Leipzig, Germany)	147	Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside
S. Bay (Paris, France), O. Berthier-Vergnes (Lyon, France) and D. Cantacuzene (Paris, France)	153	Synthesis of α- and β-biotinylated T-antigen
A. Blaskó, C.A. Bunton (Santa Barbara, CA, USA), S. Bunel, C. Ibarra and E. Moraga (Santiago, Chile)	163	Determination of acid dissociation constants of anomers of amino sugars by ^{1}H NMR spectroscopy
J.M. Kim and R. Roy (Ottawa, Canada)	173	New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans
X.-L. Sun, T. Kai, H. Takayanagi and K. Furubata (Tokyo, Japan)	181	Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids)
G. Kogan, D. Uhrín, J.-R. Brisson and H.J. Jennings (Ottawa, Canada)	191	Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes
Y. Yachida, K. Tsuchihashi and S. Gasa (Sapporo, Japan)	201	Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose
A.M. Winn and S.G. Wilkinson (Hull, UK)	213	Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia*
C. Petersson (Uppsala, Sweden), W. Jachymek (Wrocław, Poland), L. Kenne (Uppsala, Sweden), T. Niedziela and C. Lugowski (Wrocław, Poland)	219	Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide
N.P. Arbatsky, A.S. Shashkov (Stockholm, Sweden; Moscow, Russian Federation), G. Widmalm (Stockholm, Sweden), Y.A. Knirel (Moscow, Russian Federation), K. Zych and Z. Sidorczyk (Lodz, Poland)	229	Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit
L. Kandra, G. Gyémánt, E. Farkas and A. Lipták (Debrecen, Hungary)	237	Action pattern of porcine pancreatic alpha-amylase on three different series of β-maltooligosaccharide glycosides
	I	Corrigendum
	III	Announcement
	iii	Graphical Abstracts

Regular papers

C.R. Rozanas and G.R. Gray (Minneapolis, MN, USA)	243	Reductive cleavage of the positional isomers of benzoylated and methylated methyl α-D-mannopyranoside
B. Laignel, C. Bliard, G. Massiot and J.M. Nuzillard (Reims, France)	251	Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch
Y. Kobayashi and T. Tsuchiya (Kawasaki, Japan)	261	Synthesis of 2″-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbekacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates
Y.M. Ahn and G.R. Gray (Minneapolis, MN, USA)	279	Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3,4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions
R. Hoos, A. Vasella (Zurich, Switzerland), K. Rupitz and S.G. Withers (Vancouver, Canada)	291	D-Glyconhydroximolactams strongly inhibit α-glycosidases
J.-P. Vincken, G. Beldman and A.G.J. Voragen (Wageningen, The Netherlands)	299	Substrate specificity of endoglucanases: what determines xyloglucanase activity?
J.O. Previato (Rio de Janeiro, Brasil), C. Jones (Potters Bar, UK), M.P. Stephan, L.P.A. Almeida and L. Mendonça-Previato (Rio de Janeiro, Brasil)	311	Structure of the repeating oligosaccharide from the lipopolysaccharide of the nitrogen-fixing bacterium *Acetobacter diazotrophicus* strain PAL 5

V. Planchot, P. Colonna and A. Buleon (Nantes, France) 319 Enzymatic hydrolysis of α-glucan crystallites

G.K. Moates, T.R. Noel, R. Parker and S.G. Ring (Norwich, UK) 327 The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water

Notes

E.A. Yates, F. Santini, A. Bisio and C. Cosentino (Milan, Italy) 335 Evidence for a heparin derivative containing an *N*-sulfated aziridine ring that retains high anti-factor Xa activity

Z. Smiatacz, I. Chrzczanowicz and H. Myszka (Gdańsk, Poland) 341 Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranosid)uronates

I Erratum

III Full Instructions to Authors

XV Author index

XVII Subject index

XXI Contents